# **Cardiovascular Surgeries**



# **Coronary Bypass Surgery**







# What is Carotid Artery Surgery?

Carotid artery surgery, also known as carotid endarterectomy, is a surgical procedure performed to treat carotid artery disease. The carotid arteries are major blood vessels located on each side of the neck that supply blood to the brain. When these arteries become narrowed or blocked by a buildup of fatty deposits, a condition called carotid artery stenosis, it can increase the risk of stroke. Carotid artery surgery is one of the methods used to reduce this risk by removing the blockage.

# The procedure typically involves the following steps:

- Anesthesia: The patient is usually given either local anesthesia to numb the area around the carotid artery or general anesthesia to put the patient to sleep during the surgery.
- 2. **Incision:** A small incision is made in the neck over the affected carotid artery.
- 3. **Clamping:** The surgeon temporarily clamps the carotid artery to stop blood flow. This is done to prevent small pieces of plaque from dislodging and traveling to the brain during the procedure.
- 4. **Artery Access:** The surgeon then opens the artery, usually with a longitudinal incision, and carefully removes the plaque buildup or blockage. This process is called endarterectomy.
- Closure: After the plaque has been removed, the artery is closed with sutures or a patch to ensure it remains open and functioning properly.
- 6. **Monitoring:** The patient is closely monitored during and after the

procedure for any signs of complications, particularly stroke or bleeding.

Carotid artery surgery is considered when a patient has significant carotid artery stenosis and a high risk of stroke. The decision to undergo the procedure is typically based on factors such as the degree of stenosis, the patient's overall health, and their history of stroke or transient ischemic attacks (TIAs). The surgery is aimed at reducing the risk of future strokes by improving blood flow to the brain.

In some cases, carotid artery stenosis can also be managed through less invasive procedures, such as carotid artery angioplasty and stenting. These methods involve using a catheter to insert a stent to widen the narrowed artery. The choice of treatment depends on the individual patient's condition and their medical history. It is important to consult with a healthcare provider to determine the most appropriate treatment for carotid artery disease.

# When Carotid Artery Surgery is a Good Option?

Carotid artery surgery, or carotid endarterectomy, may be considered a good option for individuals with significant carotid artery stenosis (narrowing) under certain circumstances. The decision to recommend carotid artery surgery is typically based on various factors, including the degree of stenosis, the patient's overall health, and their medical history. Here are situations where carotid artery surgery is often considered a good option:

1. **Severe Stenosis:** Carotid endarterectomy is generally recommended when there is severe carotid artery stenosis, typically defined as 70% or more narrowing of the carotid artery. Severe stenosis increases the

risk of stroke, and surgery can help reduce this risk.

- Recent Stroke or TIA: If a patient has recently experienced a stroke or a transient ischemic attack (TIA, often referred to as a "mini-stroke"), and the stenosis is significant, carotid artery surgery may be indicated to prevent future strokes.
- 3. **High-Risk Patients:** Carotid artery surgery is often considered for high-risk patients who are not good candidates for other treatments, such as carotid artery stenting or who have multiple risk factors for stroke.
- 4. Asymptomatic Severe Stenosis: In some cases, carotid endarterectomy may be recommended for patients with asymptomatic (no stroke or TIA) but severe carotid stenosis, particularly if they have other risk factors for stroke, such as advanced age, diabetes, or a history of smoking.
- 5. **Progression of Stenosis:** If a patient has been monitored over time and their carotid artery stenosis has been progressively worsening, surgery may be recommended to prevent future complications.
- Patient Preference: In some cases, patients may opt for carotid endarterectomy over other treatment options based on their preferences, medical history, or other considerations.

It's important to note that the decision to undergo carotid artery surgery is made on an individual basis and should involve a thorough evaluation by a healthcare provider. Other factors, such as the patient's overall health,

age, and the presence of other medical conditions, will also influence the decision-making process.

Carotid artery surgery is generally effective at reducing the risk of future strokes in appropriate candidates. However, like any surgical procedure, it carries some risks and potential complications, and the benefits should be carefully weighed against these risks. Patients should have a detailed discussion with their healthcare provider to determine the most suitable treatment approach for their specific condition.

- 1. Aortic Aneurysm: Surgery is often recommended when an aortic aneurysm reaches a certain size or is at risk of rupture. The specific size threshold varies depending on the location of the aneurysm, but once the risk of rupture becomes significant, surgery is typically advised to repair or replace the weakened aorta.
- 2. **Aortic Dissection:** Emergency surgery is usually necessary in cases of acute aortic dissection to repair the torn aortic wall and prevent complications. In some cases of chronic aortic dissection, surgery may also be required to manage ongoing issues.
- 3. **Aortic Valve Disease:** When aortic valve disease, such as aortic stenosis or aortic regurgitation, becomes severe and symptomatic (e.g., chest pain, shortness of breath, heart failure), aortic valve replacement surgery may be recommended.
- 4. **Congenital Aortic Conditions:** Some individuals are born with structural abnormalities of the aorta that may require surgical intervention to correct.

- 5. Endovascular Repair: Minimally invasive endovascular procedures may be suitable for patients with certain types of aortic aneurysms and dissections, depending on the anatomy and specific characteristics of the condition.
- 6. **High Risk of Complications:** If the patient is at a high risk of complications due to the aortic condition, surgery may be recommended to prevent lifethreatening events such as aneurysm rupture or aortic dissection.
- 7. Failed Conservative Treatment: In cases where conservative medical management and lifestyle changes do not effectively control symptoms or prevent the progression of the aortic condition, surgery may be considered.

It's important to note that the decision to undergo aortic vascular surgery is made in close consultation with a healthcare team, including cardiovascular surgeons and cardiologists. They will assess the patient's overall health, the specific characteristics of the aortic condition, and the potential risks and benefits of surgery. Additionally, the patient's preferences and individual circumstances are taken into account. Surgical techniques have advanced significantly in recent years, and many procedures can now be performed with reduced invasiveness and shorter recovery times. Nevertheless, like all surgical procedures, aortic vascular surgery carries certain risks, and these risks should be thoroughly discussed with the medical team before making a decision.

#### **Consultation and Preparation**

Consultation and preparation for carotid artery surgery, also known as carotid endarterectomy, involves several important steps to ensure the procedure is safe and successful. Here's a general overview of what you can expect during the consultation and preparation process:

#### Initial Evaluation:

•

- Referral: Typically, a primary care physician or neurologist will refer you to a vascular surgeon or a specialist in vascular surgery for a consultation if carotid artery surgery is being considered.
- Medical History: The healthcare provider will take a detailed medical history, including any previous strokes, transient ischemic attacks (TIAs), cardiovascular diseases, and risk factors like high blood pressure, smoking, diabetes, or high cholesterol.
- Physical Examination: A
   physical examination will be
   conducted to assess your
   general health and to check for
   any neurological deficits.

#### Diagnostic Tests:

•

- Carotid Ultrasound: A carotid ultrasound, also known as a carotid duplex scan, is often used to assess the degree of carotid artery stenosis and to determine if surgery is necessary.
- Imaging: Additional imaging tests like CT scans or MRIs may be ordered to provide more detailed information about the carotid artery and the surrounding structures.

#### • Risk Assessment:

 The healthcare provider will assess your overall risk factors and determine if carotid artery surgery is the best treatment option for your specific condition.

#### Informed Consent:

 If the decision is made to proceed with carotid endarterectomy, you will be provided with information about the procedure, potential risks, benefits, and alternatives. You will need to provide informed consent to undergo the surgery.

#### Medication Management:

 Medications you are taking, such as blood thinners, may need to be adjusted or temporarily discontinued before surgery to reduce the risk of bleeding during the procedure.

#### Preoperative Tests:

 Before surgery, you may need to undergo various preoperative tests, such as blood tests, electrocardiogram (ECG or EKG), and pulmonary function tests, depending on your medical history and overall health.

#### Anesthesia Evaluation:

 If you are having general anesthesia, an anesthesiologist will evaluate your readiness for anesthesia and discuss any concerns or questions you may have.

#### Stop Smoking:

 If you smoke, quitting before surgery is highly recommended, as smoking can increase the risk of complications during and after the procedure.

#### Fasting:

 You will typically be instructed to fast for a specific period before the surgery, usually starting at midnight on the night before the procedure.

# Preoperative Instructions:

 You'll receive specific instructions regarding what to do on the day of the surgery, such as what to wear, what medications to take or avoid, and when to arrive at the hospital or surgical center.

# Arrangements:

 Make arrangements for transportation to and from the hospital or surgical center, as you may not be allowed to drive after the surgery.

#### Postoperative Care:

 Discuss postoperative care, including potential hospitalization, recovery time, and follow-up appointments.

It's important to have open and thorough communication with your healthcare provider throughout the consultation and preparation process. This will help ensure that you are well-informed about the procedure, feel comfortable with your treatment plan, and are prepared for the surgery and recovery. If you

have any questions or concerns, be sure to discuss them with your healthcare team.

# **Surgery Process**

The carotid artery surgery process, known as carotid endarterectomy, involves several key steps. This surgical procedure is performed to remove plaque or blockages from the carotid arteries, which are major blood vessels located on each side of the neck that supply blood to the brain. The goal is to reduce the risk of stroke by restoring proper blood flow to the brain. Here is an overview of the carotid artery surgery process:

#### 1. Anesthesia:

 The surgery begins with the administration of anesthesia. In most cases, you will be given either general anesthesia, which puts you to sleep, or regional anesthesia, which numbs the area around the surgical site. Your medical team will decide the appropriate type of anesthesia based on your specific needs and overall health.

# 2. Incision:

 Once you are under anesthesia, the surgeon makes a small incision in your neck over the affected carotid artery. The incision is typically made on the side of the neck where the blockage is located.

# 3. Clamping:

 The surgeon temporarily clamps the carotid artery to stop blood flow. This is done to prevent small pieces of plaque from dislodging and traveling to the brain during the procedure.

#### 4. Artery Access:

 With the carotid artery clamped, the surgeon carefully opens the artery. This is usually done with a longitudinal incision that allows access to the blockage or plaque buildup.

# 5. Plaque Removal:

 The surgeon then removes the plaque or blockage from the inside of the carotid artery. This process is called endarterectomy. Special tools and techniques are used to carefully peel away the plaque, restoring a smooth, unobstructed inner surface to the artery.

#### 6. Closure:

 After the plaque has been removed, the surgeon closes the artery. This may involve sutures to directly sew the artery back together, or a patch may be used to reinforce and repair the artery. The choice of closure method depends on the extent of the procedure and the surgeon's judgment.

# 7. Monitoring:

 Throughout the procedure, and particularly after the surgery is complete, you will be closely monitored by medical professionals to ensure there are no complications. This includes monitoring for any signs of stroke or bleeding.

#### 8. Recovery:

 After the surgery, you will be taken to a recovery area where medical staff will monitor your vital signs and ensure that you wake up from anesthesia safely. You may also spend time in the hospital for observation, depending on your overall health and the surgeon's recommendations.

#### 9. Postoperative Care:

 You will receive postoperative care instructions, which may include medication to manage pain or prevent complications.
 You will also be advised on activity restrictions, wound care, and follow-up appointments.

It's important to follow your surgeon's postoperative care instructions carefully to ensure a smooth recovery and reduce the risk of complications. Carotid artery surgery is generally effective at reducing the risk of future strokes in patients with significant carotid artery stenosis. However, like any surgical procedure, it carries some risks, and the benefits should be weighed against these risks on an individual basis. Discuss any concerns or questions with your healthcare provider.

# **Risks and Safety**

Carotid artery surgery, or carotid endarterectomy, is generally considered a safe and effective procedure for treating carotid artery stenosis (narrowing of the carotid artery). The primary goal of the surgery is to reduce the risk of stroke by removing plaque or blockages from the carotid artery. However, like

any medical procedure, it is not without risks. Here are the risks and safety considerations associated with carotid artery surgery:

#### Risks:

- 1. **Stroke:** One of the main concerns during carotid endarterectomy is the risk of a stroke, which can occur during or after the surgery. The risk is relatively low, but it is still a possibility. Surgeons take steps to minimize this risk, such as clamping the artery and carefully removing plaque.
- Bleeding: There is a risk of bleeding during or after the surgery, as with any surgical procedure. This risk is generally low, and surgical techniques are employed to control bleeding.
- Infection: Surgical site infections are a potential risk, but they are relatively uncommon with proper wound care and sterile surgical techniques.
- 4. **Nerve Damage:** Since the carotid artery is close to important nerves in the neck, there is a slight risk of nerve damage during the procedure. This can result in temporary or, rarely, permanent complications, such as vocal cord paralysis or difficulty swallowing.
- 5. **Heart Complications:** Individuals with pre-existing heart conditions may experience complications during or after the procedure, though the risk is generally low.
- Anesthesia Complications: Both general and regional anesthesia carry their own set of potential complications, including allergic reactions, respiratory issues, and more.

- 7. **Restenosis:** In some cases, the carotid artery may narrow again (restenosis) after the surgery due to the buildup of plaque over time. This may require additional treatment.
- 8. **Overall Health Risks:** The patient's general health, age, and the presence of other medical conditions can affect the risks associated with the surgery.

# **Safety Considerations:**

- 1. **Specialized Surgeons:** It's essential to have the procedure performed by a skilled and experienced vascular surgeon who specializes in carotid endarterectomy. Surgeon experience is a significant factor in reducing risks.
- 2. **Patient Selection:** Patients are carefully selected based on their individual risk factors and the severity of carotid artery stenosis. Surgery is generally recommended for those who have a high risk of stroke without the procedure.
- 3. **Preoperative Assessment:** A thorough evaluation of the patient's overall health and medical history is conducted before surgery to assess risks and benefits.

# 4. Anesthesia

**Management:** Anesthesiologists are responsible for managing anesthesia and monitoring the patient's condition during surgery to ensure safety.

- Continuous Monitoring: Patients are closely monitored during and after surgery to detect and address any complications promptly.
- 6. **Advanced Techniques:** Surgical advancements, such as the use of shunts and patch closures, have

improved the safety of carotid artery surgery.

Carotid artery surgery is generally a safe and effective treatment option for patients with significant carotid artery stenosis, especially those with a high risk of stroke. The decision to undergo the procedure is made after a thorough evaluation by healthcare providers, considering individual patient factors. Patients should have open communication with their healthcare team, ask questions, and carefully follow post-operative instructions to optimize safety and recovery.

# **Recovery and Results**

Recovery and results following carotid artery surgery, or carotid endarterectomy, can vary from person to person, but there are some common experiences and outcomes that patients can typically expect. Here is an overview of what you might encounter during the recovery period and the expected results of the surgery:

#### **Recovery:**

- Hospital Stay: After carotid artery surgery, you will typically spend a short period in the hospital for observation. The length of your stay may vary depending on your specific circumstances, but it is usually a day or two.
- 2. **Pain Management:** You may experience some discomfort or pain at the surgical site. Your healthcare team will provide pain management medication to help alleviate any discomfort.
- 3. **Activity Restrictions:** Initially, you will be advised to limit physical activities and keep the head elevated to reduce swelling. Specific activity restrictions

and recovery guidelines will be provided by your medical team.

- 4. **Incision Care:** You'll need to keep the incision site clean and dry as instructed by your surgeon. Any sutures or staples used in the incision will be removed during a follow-up appointment.
- 5. **Medication:** You may be prescribed blood-thinning medications to reduce the risk of blood clots. If you were taking medications for other conditions (e.g., blood pressure or cholesterol), these may be adjusted as needed.
- Follow-Up Appointments: Regular follow-up appointments with your surgeon are essential to monitor your recovery and the progress of the surgery.

#### **Expected Results:**

- 1. **Stroke Risk Reduction:** The primary goal of carotid artery surgery is to reduce the risk of stroke by removing plaque and restoring proper blood flow to the brain. In many cases, the procedure is effective in achieving this goal.
- 2. **Improved Blood Flow:** Carotid endarterectomy generally results in improved blood flow through the carotid artery, reducing the risk of future blockages or stenosis.
- 3. **Symptom Relief:** For individuals who had symptoms such as transient ischemic attacks (TIAs) or mild strokes prior to surgery, the procedure can lead to symptom relief and improved neurological function.
- 4. **Long-Term Outcomes:** The long-term outcomes are generally positive, especially for those who were at high

risk of stroke due to significant carotid artery stenosis. Regular monitoring and adherence to a healthy lifestyle, including managing risk factors like blood pressure and cholesterol, are crucial for maintaining the benefits of the surgery.

It's important to note that carotid artery surgery carries some risks, including the risk of complications such as stroke, infection, or bleeding. The potential benefits of the procedure should be carefully considered in relation to these risks on an individual basis, and the decision to undergo surgery should be made in consultation with your healthcare provider.

Recovery can vary, and it's essential to follow your surgeon's postoperative care instructions and attend all follow-up appointments to ensure the best possible outcome. Discuss any concerns or questions you have about the surgery and recovery with your healthcare team.

# **Recovery Period**

The recovery period after carotid artery surgery (carotid endarterectomy) can vary from person to person, depending on factors such as the patient's overall health, the extent of the surgery, and any potential complications. However, here's a general overview of what you can expect during the recovery period:

- 1. **Hospital Stay:** Most patients will spend at least one night in the hospital following carotid artery surgery. In some cases, a longer hospital stay may be required, especially if there are complications during or after the procedure.
- 2. **Monitoring:** After the surgery, you will be closely monitored in the hospital to

- ensure your vital signs are stable and that there are no immediate complications, such as bleeding or signs of a stroke.
- 3. **Neck Incision Care:** The incision in your neck will require proper care and monitoring. Your healthcare team will provide instructions on how to keep the incision clean and how to change dressings.
- 4. Pain Management: You may experience some discomfort or pain at the surgical site. Pain medications will be provided to manage any pain, and your healthcare team will advise you on how to take them as prescribed.
- 5. **Activity Restrictions:** You will likely be advised to limit physical activity and avoid strenuous activities for a specific period following the surgery. The duration of these restrictions can vary but is typically a few weeks.
- 6. **Diet and Medication:** You'll be provided with dietary guidelines and instructions for any medications you need to take during your recovery. It's important to follow these recommendations as directed by your healthcare provider.
- 7. **Follow-Up Appointments:** You will have follow-up appointments with your healthcare provider to monitor your progress and assess the healing of the surgical site. The frequency and timing of these appointments will be determined by your medical team.
- Resumption of Normal Activities: Over time, you will gradually be allowed to resume your normal daily activities.
   Your healthcare provider will guide you on when it's safe to do so.

- 9. Lifestyle Changes: Your healthcare provider will likely recommend lifestyle changes to reduce the risk of further plaque buildup and strokes. This may include dietary modifications, exercise, smoking cessation, and the management of other risk factors like high blood pressure and high cholesterol.
- 10. **Driving:** You may not be allowed to drive immediately after the surgery. This restriction is typically lifted when you are no longer taking pain medications and are cleared by your healthcare provider.

It's essential to closely follow your healthcare provider's postoperative care instructions to ensure a smooth recovery and to minimize the risk of complications. If you notice any signs of infection, excessive bleeding, or neurological symptoms, it's crucial to contact your healthcare provider immediately.

Recovery time can vary, but many people can return to their normal activities within a few weeks to a couple of months, provided there are no complications. However, the full recovery process, including the healing of the carotid artery and the incision site, may take several months to a year. The specific timeline will be individualized based on your condition and progress.

#### **Post-Op Insttructions**

Following carotid artery surgery (carotid endarterectomy), it's essential to adhere to specific post-operative instructions to ensure a smooth and successful recovery. Here are some general post-operative guidelines that you may receive from your healthcare provider:

#### 1. Incision Care:

- Keep the surgical incision site clean and dry.
- Follow instructions for changing dressings or bandages, if provided.
- Be alert for any signs of infection, such as redness, swelling, increasing pain, or discharge.
   Contact your healthcare provider if you notice these symptoms.

# 2. Pain Management:

- Take prescribed pain medications as directed by your healthcare provider to manage post-operative discomfort.
- Over-the-counter pain relievers should only be taken with your healthcare provider's approval.

### 3. Activity Restrictions:

- Avoid strenuous physical activities, lifting heavy objects, or straining yourself for a specified period (typically a few weeks).
- Do not participate in activities that could put pressure or strain on your neck.
- Follow your healthcare provider's recommendations for gradually increasing your activity level.

#### 4. Diet and Medication:

- Follow any dietary recommendations provided by your healthcare provider.
- Take any prescribed medications as directed, particularly those

related to stroke prevention and recovery.

# 5. Follow-Up Appointments:

 Attend all scheduled follow-up appointments with your healthcare provider. These appointments are important for monitoring your recovery and assessing the healing of the surgical site.

# 6. Neurological Monitoring:

- Be vigilant for any neurological symptoms that may indicate a problem, such as weakness, numbness, difficulty speaking, or changes in vision.
- Report any neurological symptoms to your healthcare provider immediately.

# 7. Driving Restrictions:

 Do not drive until you receive approval from your healthcare provider. This may be several weeks or longer after the surgery, depending on your progress and any residual effects from anesthesia or medications.

# 8. Lifestyle Changes:

Make necessary lifestyle
modifications, such as smoking
cessation, dietary changes, and
adherence to any prescribed
medications, to reduce the risk
of further plaque buildup and
strokes.

#### 9. Incision Sun Protection:

 Protect the surgical incision site from direct sunlight to prevent scarring or skin damage.

#### 10. Emergency Contact:

 Have a list of emergency contact numbers readily available, including your healthcare provider's contact information.

# 11. Resumption of Normal Activities:

 Gradually resume your usual activities and work responsibilities as directed by your healthcare provider.

# 12. Follow the Preoperative and Discharge Instructions:

- Follow any preoperative instructions you received for the night before the surgery.
- Adhere to discharge instructions provided by the hospital or surgical center staff.

Your post-operative instructions may vary based on your individual medical history, the specific details of your surgery, and your overall health. It's crucial to maintain open communication with your healthcare provider and ask any questions you may have regarding your recovery. By following these instructions and staying in close contact with your healthcare team, you can help ensure a successful and complication-free recovery following carotid artery surgery.

#### **Terminology Patient Should Be Aware of**

If you or a loved one is undergoing carotid artery surgery (carotid endarterectomy), it can be helpful to be aware of certain medical terminology related to the procedure and

recovery. Understanding these terms can assist in communication with healthcare providers and make the process less intimidating. Here are some key terms you should be familiar with:

- Carotid Artery: These are the major blood vessels located on each side of the neck that supply blood to the brain.
- 2. **Carotid Stenosis:** Refers to the narrowing of the carotid artery due to the buildup of plaque or atherosclerosis, which can increase the risk of stroke.
- 3. **Atherosclerosis:** A condition where fatty deposits, cholesterol, and other substances build up on the inner walls of arteries, causing narrowing and reduced blood flow.
- 4. **Endarterectomy:** A surgical procedure to remove plaque or blockages from the carotid artery.
- 5. **Embolism:** The sudden obstruction of a blood vessel by an embolus (a detached clot or other material that can travel through the bloodstream).
- Stroke: A stroke occurs when the blood supply to part of the brain is interrupted, leading to damage or death of brain cells.

#### 7. Transient Ischemic Attack

(TIA): Sometimes called a "mini-stroke," it is a temporary disruption of blood flow to the brain that can cause stroke-like symptoms but typically resolves within 24 hours.

8. **Anesthesia:** Medications used to induce a state of unconsciousness (general anesthesia) or numbness (regional anesthesia) during the surgery.

- 9. **Incision:** The surgical cut made in the neck to access the carotid artery.
- 10. Clamping: The temporary occlusion of the carotid artery during the surgery to prevent dislodging of plaque or emboli.
- 11. **Patch Closure:** A technique in which a patch is used to reinforce and close the carotid artery after plaque removal.
- 12. **Vascular Surgeon:** A surgeon who specializes in the diagnosis and treatment of vascular (blood vessel) conditions.
- Cardiologist: A medical specialist who focuses on the heart and cardiovascular system.
- 14. Neurologist: A medical specialist who deals with diseases and disorders of the nervous system, including the brain.
- 15. **Hematoma:** A collection of blood outside of blood vessels, which can sometimes occur at the surgical site.
- 16. Neurological Examination: A medical evaluation that assesses brain and nervous system function, often performed to detect any neurological deficits.
- 17. **Hypertension:** High blood pressure, which is a significant risk factor for carotid artery disease and stroke.
- 18. **Cholesterol:** A waxy, fat-like substance that can contribute to the buildup of plague in the arteries.
- 19. **Aneurysm:** A bulge or weak area in the wall of an artery, which can be a related condition in some cases.
- 20. **Stenosis Degree:** The percentage measurement of how much the carotid

- artery is narrowed, used to determine the need for surgery.
- 21. **Restenosis:** The re-narrowing of the carotid artery after surgery due to the buildup of plaque over time.
- 22. **Embolization:** The process of small pieces of plaque (emboli) breaking off and traveling through the bloodstream, which can be a concern during surgery.

Understanding these terms will help you communicate effectively with your healthcare team, ask questions about your condition and treatment, and make informed decisions about your care. Your healthcare providers will also be able to explain these terms and provide more information about your specific case as needed.